

<https://helda.helsinki.fi>

WSES worldwide emergency general surgery formation and evaluation project

Coccolini, Federico

2018-03-13

Coccolini , F , Kluger , Y , Ansaloni , L , Moore , E E , Coimbra , R , Fraga , G P , Kirkpatrick , A , Peitzman , A , Maier , R , Baiocchi , G , Agnoletti , V , Gamberini , E , Leppaniemi , A , Ivatury , R , Sugrue , M , Sartelli , M , Di Saverio , S , Biffl , W & Catena , F 2018 , ' WSES worldwide emergency general surgery formation and evaluation project ' , World journal of emergency surgery , vol. 13 , 13 . <https://doi.org/10.1186/s13017-018-0174-5>

<http://hdl.handle.net/10138/234460>

<https://doi.org/10.1186/s13017-018-0174-5>

cc_by

publishedVersion

Downloaded from Helda, University of Helsinki institutional repository.

This is an electronic reprint of the original article.

This reprint may differ from the original in pagination and typographic detail.

Please cite the original version.

COMMENTARY

Open Access



WSES worldwide emergency general surgery formation and evaluation project

Federico Coccolini^{1*}, Yoram Kluger², Luca Ansaloni¹, Ernest E. Moore³, Raul Coimbra⁴, Gustavo P. Fraga⁵, Andrew Kirkpatrick⁶, Andrew Peitzman⁷, Ron Maier⁸, Gianluca Baiocchi⁹, Vanni Agnoletti¹⁰, Emiliano Gamberini¹⁰, Ari Leppaniemi¹¹, Rao Ivatury¹², Michael Sugrue¹³, Massimo Sartelli¹⁴, Salomone Di Saverio¹⁵, Walt Biffi¹⁶ and Fausto Catena¹⁷

Abstract

Optimal management of emergency surgical patients represents one of the major health challenges worldwide. Emergency general surgery (EGS) was identified as multidisciplinary surgery performed for traumatic and non-traumatic acute conditions during the same admission in the hospital. EGS represents the easiest viable way to provide affordable and high-quality level of care to emergency surgical and trauma patients. It may result from the association of different physicians with other specialties in a cooperative model. The World Society of Emergency Surgery (WSES) has been working on the EGS organization and implementation since its foundation believing in the need of common benchmarks for training and educational programs throughout the world. This is a plea in different languages to all World Prime Ministers and Presidents to support the creation in all nations of an organized hub-spoke system for emergency general surgery to improve standards of care and to save lives.

Keywords: Emergency general surgery, Formation, Evaluation, Implementation, Open letter, Trauma, Benchmarks, Certification, Register, Certification

Optimal management of emergency surgical patients represents one of the major health challenges worldwide [1, 2]. Emergency surgical procedures may interfere with the daily planned surgical activity and therefore overwhelm the unprepared system. Many medical systems are not ready to deal with concurrent emergency and elective surgical procedures. Emergency general surgery (EGS) was identified in the 2000s as multidisciplinary surgery performed for traumatic and non-traumatic acute conditions during the same admission in the hospital [3]. EGS represents the easiest viable way to provide affordable and high-quality level of care to emergency surgical and trauma patients taking into account the pathophysiology, surgical and trauma emergencies, and critical care [4]. In several countries, it may result from the association of different physicians with other specialties in a cooperative model (i.e., emergency physicians, intensivists). In low-resource settings, these

different providers may even be represented by the only general surgeon. The critically ill EGS patient requires prompt evaluation and, in many cases, early surgical intervention because of the uniqueness of the surgical acute conditions which are accompanied by high rates of complications and death [4]. The aforementioned landscape of EGS highlights the difficulty for the emergency general surgeon to plan and endorse appropriate management schemes to optimize timely treatment.

Shortage of trained emergency general surgeons, lack of dedicated teams, shortage of dedicated operating theaters, and delay in surgery as well as non-adherence to clinical guidelines may affect patient outcomes.

The last two decades have witnessed a slow but progressive improvement in the management of emergency general surgery cases. In many institutions, emergency general surgery services have become of critical importance.

Many governments have started a systematic effort in reorganizing EGS systems [5, 6]. They have begun to change the traditional paradigm of care and have renewed interest in the optimization of the processes and outcomes of care in EGS [6]. In fact, several

* Correspondence: federico.coccolini@gmail.com

¹General, Emergency and Trauma Surgery Department, Bufalini Hospital, 47521 Cesena, Italy

Full list of author information is available at the end of the article

countries and governments started to dedicate properly trained personnel in managing EGS patients within dedicated protocols and pathways.

Acute Care Surgery (ACS) was introduced at the beginning of 2000, as a well-defined concept. However, its practice paradigm has been in place for the past 50 years in the USA. The practice was developed in the large county hospitals in the USA in the late 1960s/early 1970s when trauma centers became recognized, and virtually all were housed in county hospitals. In these hospitals, the general surgeon providing trauma call did all emergent operations except for the central nervous system [7]. Even if widely recognized, it is not a stand-alone surgical specialty so far. In any case, data indicate that this concept has an impact on morbidity and mortality. In fact, it is an evolving concept encompassing three essential components: trauma, surgical critical care, and emergency general surgery with a formal training, certification, and ongoing practice of critical care, which has not yet found its proper position in the surgical panorama [8–12]. The American Association for Surgery for Trauma (AAST) defined a formative curriculum for acute care surgeons [13]. However, most institutions around the world are not prepared to offer such complete and articulated training program. In Europe, for example, an effort to define this subspecialty was attempted [11, 12] but currently there are no widespread set of minimum standards for ACS formation and specialization [10]. For the same reasons, some confusion exists in defining, outside the USA, what is the proper scope of practice of ACS and the specific providers. In fact, in most of the world, general surgeons, associated to other clinicians in a dedicated team to EGS patients, practice EGS by necessity and not based on specific training in the specialty. For these reasons, EGS is a progressive, more diffuse model. The system where ACS has been conceptualized and applied is different from most parts of the world. Most systems around the world have different political and economical organization. The EGS model is more flexible and, as a consequence, easily disseminated and reproducible.

Trauma disciplines have been developed and structured in several parts of the world. Many educational endeavors were put forward: ATLS® (Advanced Trauma Life Support), DSTC™ (Definitive Surgical Trauma Care), ATOM® (Advanced Trauma Operative Management), ASSET (Advanced Surgical Skills for Exposure in Trauma), FIAT (Full Immersion in Acute care surgery and Trauma), USET (Ultrasound in Emergency & Trauma), and ADMR (Advanced Disaster Medical Response) to improve outcomes and to standardize management. Guidelines were set forth and management algorithms established.

EGS should follow similar milestones. However, recent studies have demonstrated that the “one-size-fits-all”

model of ACS does not work [14, 15]. Besides institutional and governmental differences in how health care delivered is organized, the practice of EGS across hospitals is mainly led by interested surgeons. In order to become widespread and effective, it should include scientific professional societies, stakeholders, and policy-makers, especially in those situations at high risk of lacking access to high-quality emergency general surgical care [15]. The need for specific training, scientific knowledge based on high-level research, big data accrual, and the development of guidelines to stratify diseases requiring urgent surgical intervention is consolidating with the centers’ stratification in a hub-spoke model. Moreover, the necessity of critical care knowledge is becoming day by day more evident and mandatory.

Additionally, the development of common standards defining an EGS service is essential in order to reduce the legal burden on emergency general surgeons.

The World Society of Emergency Surgery (WSES) has been working on the EGS organization and implementation since its foundation. Several steps have been done but further improvements are mandatory to warrant an equal distribution of knowledge and resources. Moreover, the WSES strongly believes in the need of common benchmarks for training and educational programs throughout the world.

The acute care surgeon’s formation needs to be promoted together with the necessary recognition and outcomes evaluation and performance improvement. To reach such articulated aim, WSES recognized and initiated some key steps and the subsequent activities.

The key steps to build up this common program are:

- 1 Recognition
- 2 Mandatory priorities evaluation (taken into consideration the context: social, economic, political, religious, scientific, etc.)
- 3 Definition of the lowest common denominator for action criteria (guidelines including sections dedicated to low-resource settings)
- 4 Definition of training courses shared within the different contexts and containing the lowest common denominator action criteria
- 5 Well-defined quality improvement processes
- 6 Data accrual instrument set-up
- 7 Data analysis (indexing and stratification by the different contexts)
- 8 Result dissemination and dedicated restitution to the different centers to evaluate the necessities and to improve outcomes
- 9 Official certification of the different centers (with consequent eventual stratification)

1, 2, 3 - Recognition

- *Mandatory priorities evaluation (taken into consideration the context: social, economic, political, religious, scientific, etc.)*

- *Definition of the lowest common denominator for action criteria (guidelines including sections dedicated to the low-resource settings)*

In the last 10 years, the WSES has set-up and implemented the National Delegate Project with the aim to have a direct local qualified delegate in each country of the world reporting on the local situation and helping in refining the WSES guidelines, position papers, and consensus conferences according to each country's needs. This project resulted in several EGS guidelines elaborated and published with a global perspective.

4 Definition of training courses shared within the different contexts and containing the lowest common denominator action criteria

Several courses have been organized and disseminated around the world to promote EGS formation (i.e., Management of Intra-abdominal infections Course "MIC course," Emergency Abdominal Surgery Course "EASC," Comprehensive Open Abdomen Management Course "COPAM course," Intensive Care for Emergency General Surgeons "ICE course," Base Evidences in Emergency General Surgery Course "BEES course," Base Evidences in Trauma Surgery "BETS course," Research In Surgery Course "RIS course," Preparedness and Education of Acute care surgeons to mass Casualties Emergencies "PEACE course"). Moreover, all courses have been put together into a unique formative program the Full Immersion in Acute care surgery and Trauma "FIAT course".

5 Quality check instrument definition

A restricted number of variables necessary to evaluate the EGS units/systems performance in both process and clinical outcomes have been established [16].

These key performance indicators (KPIs) take into account the:

Resources and Designation of Emergency Surgery Service

- Acute care unit structure
- Reception and triage
- Data systems, registry, and evaluation
- Rural emergency care and transfer
- Pediatric emergency general surgery care
- Geriatric emergency general surgery
- Interaction and connectivity within the health system
- Emergency room
- Laboratory
- Radiology
- Operating room
- Intensive care unit
- Gastroenterology

- Quality assurance and performance improvement and innovation
- Sepsis control
- Emergency room
- Intensive care
- Research in emergency general surgery
- Education in emergency general surgery
- Accreditation review and consultative program
- Patient-related outcome measures

6, 7 - Data accrual instrument set-up

- Data analysis

The WIRES project (WSES International Registry of Emergency General Surgery) has been set up to allow to all the EGS surgeons to register their activity and to obtain a worldwide register of surgical emergencies. This will give the opportunity to evaluate results on a macro-data basis and to give index allowing stratifying, evaluating, and improving the outcomes.

8, 9 - Results diffusion and dedicated restitution to the different centers to evaluate the necessities and to improve outcomes;

- Official certification of the different centers (with consequent eventual stratification)

Data analysis from the WIRES project are published in the *World Journal of Emergency Surgery* (WJES), an open access peer review journal, to spread the knowledge to everybody with no limitations due to the open access policy. The single-center/unit results can be discussed with the specific center/unit by international experts in order to help improve outcomes.

Lastly, this entire project will definitely lead to the release of an international certification linked to the WSES Official World Certification Process (WOWcp) project. This certification warrants the outcomes of the centers/unit to be in the standard of the best practice of EGS.

Emergency general surgery treats time-sensitive diseases: this is a plea in different languages to all World Prime Ministers and Presidents to support the creation in all nations of an organized hub-spoke system for emergency general surgery to improve standards of care and to save lives.

Abbreviations

AAST: Association for Surgery for Trauma; ACS: Acute Care Surgery; ADMR: Advanced Disaster Medical Response; ASSET: Advanced Surgical Skills for Exposure in Trauma; ATLS®: Advanced Trauma Life Support; ATOM®: Advanced Trauma Operative Management; BEES: Base Evidences in Emergency General Surgery Course; BETS: Base Evidences in Trauma Surgery; COPAM: Comprehensive Open Abdomen Management Course; DSTC™: Definitive Surgical Trauma Care; EASC: Emergency Abdominal Surgery Course; EGS: Emergency general surgery; FIAT: Full Immersion in Acute care surgery and Trauma; ICE: Intensive Care for Emergency General Surgeons; MIC: Management of Intra-abdominal infections Course; PEACE: Preparedness and Education of Acute care surgeons to mass Casualties Emergencies; RIS: Research In Surgery Course; USET: Ultrasound in Emergency & Trauma; WIRES: WSES International Registry of Emergency

General Surgery; WOWcp: WSES Official World Certification Process; WSES: World Society of Emergency Surgery

Acknowledgements

Not applicable

Funding

None

Availability of data and materials

Not applicable

Authors' contributions

FC, YK, LA, EM, RC, GPF, AK, AP, RM, GB, VA, EG, AL, RI, MS, MSa, SdS, WB, and FCa conceived the manuscript and participated in its design and helped to draft it. All authors read and approved the final manuscript.

Competing interest

The authors declare that they have no competing interests.

Ethics approval and consent to participate

Not applicable

Consent for publication

Not applicable

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Author details

¹General, Emergency and Trauma Surgery Department, Bufalini Hospital, 47521 Cesena, Italy. ²Division of General Surgery Rambam Health Care Campus Haifa, Haifa, Israel. ³Trauma Surgery, Denver Health, Denver, CO, USA. ⁴Trauma Surgery, Riverside University Health System Medical Center, Riverside, CA, USA. ⁵Faculdade de Ciências Médicas (FCM)—Unicamp Campinas, Campinas, SP, Brazil. ⁶Department of Surgery, Foothills Medical Centre, Calgary, Canada. ⁷Department of Surgery, Trauma and Surgical Services, University of Pittsburgh School of Medicine, Pittsburgh, USA. ⁸Department of Surgery, Harborview Medical Centre, Seattle, USA. ⁹General and Emergency Surgery, Civili University Hospital, Brescia, Italy. ¹⁰ICU Department, Bufalini Hospital, Cesena, Italy. ¹¹Second Department of Surgery, Meilahti Hospital, Helsinki, Finland. ¹²Virginia Commonwealth University, Richmond, VA, USA. ¹³General Surgery Department, Letterkenny Hospital, Letterkenny, Ireland. ¹⁴Department of Surgery, Macerata Hospital, Macerata, Italy. ¹⁵Trauma Surgery, Cambridge University Hospitals NHS Foundation Trust, Cambridge, UK. ¹⁶Emergency and Trauma Surgery, Scripps Memorial Hospital, La Jolla, CA, USA. ¹⁷Emergency Surgery, Parma Hospital, Parma, Italy.

Received: 2 March 2018 Accepted: 6 March 2018

/ Published online: 13 March 2018

References

- Santry HP, Madore JC, Collins CE, Ayturk MD, Velmahos GC, Britt LD, et al. Variations in the implementation of acute care surgery: results from a national survey of university-affiliated hospitals. *J Trauma Acute Care Surg*. 2015;78:60–7–8.
- Tan BHL, Mytton J, Al-Khyatt W, Aquina CT, Evison F, Fleming FJ, et al. A comparison of mortality following emergency laparotomy between populations from New York state and England. *Ann Surg*. 2017;266:280–6.
- Catena F, Moore EE. World Journal of Emergency Surgery (WJES), World Society of Emergency Surgery (WSES) and the role of emergency surgery in the world. *World J Emerg Surg*. 2007;2.
- Lyu HG, Najjar P, Havens JM. Past, present, and future of Emergency General Surgery in the USA. *Acute Med Surg*. 2018;1–4.
- Sorelli PG, El-Masry NS, Dawson PM, Theodorou NA. The dedicated emergency surgeon: towards consultant-based acute surgical admissions. *Ann R Coll Surg Engl*. 2008;90:104–8.
- Hameed SM, Brennenman FD, Ball CG, Pagliarello J, Razek T, Parry N, et al. General surgery 2.0: the emergence of acute care surgery in Canada. *Can J Surg*. 2010;53:79–83.

- Ciesla DJ, Moore EE, Moore JB, Johnson JL, Cothren CC, Burch JM. The academic trauma center is a model for the future trauma and acute care surgeon. *J Trauma*. 2005;58:657–61–2.
- Catena F, Moore F, Ansaloni L, Leppäniemi A, Sartelli M, Peitzmann AB, et al. Correction: emergency surgeon: "last of the mohicans" 2014–2016 editorial policy WSES-WJES: position papers, guidelines, courses, books and original research; from WJES impact factor to WSES congress impact factor. *World J Emerg Surg*. 2014;9.
- Galante JM, Phan HH, Wisner DH. Trauma surgery to acute care surgery: defining the paradigm shift. *J Trauma Inj Infect Crit Care*. 2010;68:1024–31.
- Catena F, Moore EE. Emergency surgery, acute care surgery and the boulevard of broken dreams. *World J Emerg Surg*. 2009;4:4.
- Uranues S, Lamont E. Acute care surgery: the European model. *World J Surg*. 2008;32:1605–12.
- Søreide K. Trauma and the acute care surgery model—should it embrace or replace general surgery? *Scand J Trauma Resusc Emerg Med*. 2009;17:4.
- Committee on Acute Care Surgery American Association for the Surgery of Trauma. The acute care surgery curriculum. *J Trauma*. 2007;62:553–6.
- Santry HP, Pringle PL, Collins CE, Kiefe CI. A qualitative analysis of acute care surgery in the United States: it's more than just "a competent surgeon with a sharp knife and a willing attitude". *Surgery*. 2014;155:809–25.
- Khubchandani JA, Ingraham AM, Daniel VT, Ayturk D, Kiefe CI, Santry HP. Geographic diffusion and implementation of acute care surgery. *JAMA Surg*. 2018; 153(2):150–59.
- Sugrue M, Maier R, Moore EE, Boermeester M, Catena F, Coccolini F, et al. Proceedings of resources for optimal care of acute care and emergency surgery consensus summit Donegal Ireland. *World J Emerg Surg*. 2017;12:47.

Submit your next manuscript to BioMed Central and we will help you at every step:

- We accept pre-submission inquiries
- Our selector tool helps you to find the most relevant journal
- We provide round the clock customer support
- Convenient online submission
- Thorough peer review
- Inclusion in PubMed and all major indexing services
- Maximum visibility for your research

Submit your manuscript at
www.biomedcentral.com/submit

